

L Number	Hits	Search Text	DB	Time stamp
1	2	5355309.pn.	USPAT; DERWENT	2003/05/20 14:51
4	0	5355309.pn. and color	USPAT; DERWENT	2003/05/20 14:51
7	7	("5751032" or "5969830" or "6040202" or "5345319").pn.	USPAT; DERWENT	2003/05/20 14:51
10	7	((("5751032" or "5969830" or "6040202" or "5345319").pn.) and color	USPAT; DERWENT	2003/05/20 14:52
13	6	((("5751032" or "5969830" or "6040202" or "5345319").pn.) and color) and resolution	USPAT; DERWENT	2003/05/20 14:59
16	0	((("5751032" or "5969830" or "6040202" or "5345319").pn.) and color) and resolution) and density	USPAT; DERWENT	2003/05/20 15:06
19	449	photosensor and density	EPO; JPO	2003/05/20 15:07
22	9	(photosensor and density) and resolution	EPO; JPO	2003/05/20 15:07
25	2	((photosensor and density) and resolution) and color	EPO; JPO	2003/05/20 15:07

	U	1	Document ID	Issue Date	Page s	Title
1	<input type="checkbox"/>	<input type="checkbox"/>	JP 07104538 A	19950421	7	IMAGE CONTROL METHOD FOR IMAGE FORMING DEVICE
2	<input type="checkbox"/>	<input type="checkbox"/>	JP 06130871 A	19940513	6	COLOR IMAGE FORMING DEVICE

	Current OR	Current XRef	Retrieval 1 Classif	Inventor	S	C	P	2	3
1				AOKI, KATSUHIRO et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2		399/165; 399/216		YAGI, MICHIO et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	4	5	Image Doc. Displayed	PT
1	<input type="checkbox"/>	<input type="checkbox"/>	JP 07104538 A	<input type="checkbox"/>
2	<input type="checkbox"/>	<input type="checkbox"/>	JP 06130871 A	<input type="checkbox"/>